



WE'RE IN THE GAME

CUSTOM GRANDSTANDS / PRESS BOXES / I-BEAM STRUCTURES / BLEACHERS / BENCHES / RENOVATIONS

The GT GRANDSTANDS Advantage

We apply technical proficiency and expertise to deliver quality, turn-key spectator seating experiences that bring communities together.



Our seating products:



Permanent Custom Grandstands | Pg. 4 – 7



Press Boxes | Pg. 7



Standard Angle Frame Bleachers | Pg. 8 – 13



Team Benches | Pg. 14



Aluminum Picnic Tables | Pg. 15



Existing Structure Renovations

Get in the Game with GT Grandstands

GT Grandstands is a leading designer/manufacturer of grandstands and bleachers for all applications of spectator seating. We offer a wide range of products and services – permanent grandstands, pressboxes, renovations, angle frame bleachers, team benches, and aluminum picnic tables – to meet all your seating needs. If a standard design does not meet your site and capacity needs, we can custom build a structure to meet your exact requirements. All our products offer outstanding quality at a very competitive price.

We offer services nationwide and can work directly with architects, dealers, school facility managers, or park and recreation professionals to design and build the perfect spectator space.

PERMANENT GRANDSTANDS

Built to your requirements and site considerations:

- Desired seating capacity
- Spectator flow
- Space available
- Sightlines
- Applicable building codes
- Revenue Generation

Bleacher construction types:



Angle Frame Structures

- » Best for level sites
- » Attached to either a concrete slab or foundation or installed with earth anchors
- » Available with galvanized steel or aluminum angle frame



Clear Span, I-Beam Structures

- » Most flexible design option
- » Easily adapted to hillsides and uneven terrain
- » Wide flange steel shape fabrication
- » Hot-dipped galvanized after fabrication for better corrosion protection
- » Anchored to concrete foundation during installation

GT Grandstands representatives will work directly with you to guide your seating project from start to finish. Site measurement, product planning, design consultation, and installation are all a part of the custom grandstand services that we provide.

Permanent Custom Grandstands



UNC Wilmington, Wilmington, NC



Armstrong ASD, Kittanning, PA



Florida Strawberry Festival, Plant City, FL



Spanish Fork Fiesta Days Rodeo, Spanish Fork, UT



Chattanooga State Community College, Chattanooga, TN



Backwaters Gamblers Water Ski Facility, Rock Island, IL



Southridge High School, Huntingburg, IN



Smithville Park Tennis Courts, Southport, NC



Days of 47 Rodeo, Salt Lake City, UT



Harbor Beach High School, Harbor Beach, MI



Peck High School, Peck, MI



IMG Academy Soccer, Bradenton, FL

Custom Grandstand Optional Features

Seating Options



Powder Coated Finish



Fixed Chairs



Powder Coated Backrests



Radius Edge Seats




Self - Rising Chairs

Decking System Options

- » All decking consists of aluminum extrusions that naturally protect from corrosion and feature high strength to weight ratio 6061-T6alloy
- » Customizable rise and tread dimensions to meet sightline requirements
- » Walking surfaces are standard mill finish or anodized
- » Powder coated aluminum colors available for riser planks
- » OR upgrade to an interlocking deck system design featuring
 - Increased rigidity
 - Added moisture protection
 - Optional integral gutter system
 - NFSI High Traction Certification



Semi - Closed Deck



Interlocking Deck



Closed Deck



Press Boxes by GT Grandstands


GT Grandstands can add a press box to your structure further supporting our goal to fulfill all your spectator seating needs. Our press boxes are pre-manufactured and pre-wired for efficient and cost effective installation. Standard features include metal stud framing, steel rib panel exteriors, and fiber-reinforced plastic panels on interiors. GT press boxes come in a common standard depth of 8' and width increments of 6'.



Press Box Options

- » Camera decks for filming
- » Security shutters
- » Vertical or slanted front window construction

Design Options



Vertical Picket Guardrail



Vomitory Stair Exits



Ramped ADA Access



Metal Panel Enclosure



Mitered Layout




Space Saving Design

Standard Angle Frame Bleachers

Standard, predesigned bleachers to fit multiple seating requirements

Standard features for each series

Series	Seat Width	Rise	Tread	Rows	Length	Frame	Guardrail	Deck System	Front Row Seat Height	Aisle
Low RiseSeries	10"	6"	24"	3,4	15, 21, 27	Aluminum	N/A	Single	10 1/2"	None
Universal Series	12"	6"	24"	3, 4, 5	15, 21, 27	Aluminum	5 Row Only	Single	10 1/2"	None
NRS Series	10"	8"	24"	2, 3, 4, 5, 8, 10, 15	15, 21, 27	Aluminum	Chain Link	Modified	17"	None
GTG Series	10"	8"	24"	4, 5, 8, 10, 15,	21, 27, 33	Aluminum	Chain Link	Semi-Closed	17"	Standard
LuxurySeries	12"	14"	36"	4, 8	19, 25, 31	Aluminum	Vert. Picket	Closed	17"	Standard
Elevated Series	10"	8"	24"	5, 8, 10, 15	21, 27, 33	Aluminum	Chain Link	Semi-Closed	17"	Standard



Low-Rise



Universal



NRS



GTG



Luxury



Elevated



Available in standard powder coating colors – red, green, blue, navy.

Low-RiseBleachers


Economic portable seating for a variety of venues



3 Row Standard Low Rise



Compact, space saving design



Standard Features

- » 3 and 4 Row Units
- » 6" Rise/24" Tread
- » 10" Seat Planks
- » 10.5" Front Row Seat Height
- » Available in 7.5', 9', 15', 21' and 27' Lengths
- » Aluminum Frame
- » Single Footboards

Optional Features


- » Galvanized Frame
- » Double Footboards
- » Mud Sills (Wood Sleepers)
- » Rubber Bumpers
- » Tip N Roll (3 and 4 Row Units)

Aluminum Frame Model	Seats	Rows	Length	Depth
LR-0315AS	30	3	15'	5'-0"
LR-0321AS	42	3	21'	5'-0"
LR0327AS	54	3	27'	5'-0"
LR-0415AS	40	4	15'	7'-0"
LR0421AS	56	4	21'	7'-0"
LR-0427AS	72	4	27'	7'-0"

NOTE: Local codesand specificationswill vary fromregion to region andwill also change overtime.It is the Buyer'sresponsibility to checklocal codesfor compliance.

Universal Bleacher Series

Portable, low maintenance, code-compliantbleacher seating



Standard Features

- » 3, 4, and 5 Row Units
- » 6" Rise/24" Tread
- » 12" Seat Planks
- » 10.5" Front Row Seat Height
- » Available in 7.5', 9', 15', 21' and 27' Lengths
- » Aluminum Frame

Optional Features

- » Galvanized Frame
- » Double Footboards
- » Aluminum or Galvanized Vertical Picket Guardrail
- » Chain link guardrail on 5 row units
- » Mud Sills (Wood Sleepers)
- » Rubber Bumpers
- » Tip N Roll (3 and 4 Row Units)

Aluminum Frame Model	Seats	Rows	Length	Depth	Guardrail
LU-0315AS	30	3	15'	5'-0"	NO
LU-0321AS	42	3	21'	5'-0"	NO
LU-0327AS	54	3	27'	5'-0"	NO
LU-0415AS	40	4	15'	7'-0"	NO
LU-0421AS	56	4	21'	7'-0"	NO
LU-0427AS	72	4	27'	7'-0"	NO
LU-0515ASC	50	5	15'	9'-6"	YES
LU-0521ASC	70	5	21'	9'-6"	YES
LU-0527ASC	90	5	27'	9'-6"	YES

ASK ABOUT 24 HOUR QUICK-SHIP BLEACHERS



4 Row x 15' – Model LU-0415AS



Mud Sills (Wood Sleepers) Available



Perfect for Indoor Use



Tip N Roll Wheels

National Rep Series Bleachers

Quality, affordable, stationary bleachers



Standard Features

- » 2, 3, 4, 5, 8, 10, and 15 Row Units
- » 8" Rise/24" Tread
 - 3 Row model features 6" rise
- » 10" Seat Plank
- » 17" Front Row Seat Height
 - 3 row model features a 16" front row seat height
- » Available in 7.5', 9', 15', 21', 24', and 27' lengths
- » Aluminum Frame
- » Single Footboards on Rows 2 and 3; Double Footboards with Riser on Rows 4 and Higher
- » Chain Link Guardrail on 4 Row Units and Higher

Optional Features

- » Galvanized Frame
- » Double Footboards
- » Aluminum or Galvanized Vertical Picket Guardrail
- » ADA
- » Mud Sills
- » Rubber Bumpers
- » Tip N Roll (2 and 3 Row Units)
- » Towable (4 row and higher, up to 24')

Aluminum Frame Model	Seats	Rows	Length	Depth	Guardrail
NR-0215AS	20	2	15'	3'-0"	NO
NR-0221AS	28	2	21'	3'-0"	NO
NR-0227AS	36	2	27'	3'-0"	NO
NR-0315AS	30	3	15'	5'-0"	NO
NR-0321AS	42	3	21'	5'-0"	NO
NR-0327AS	54	3	27'	5'-0"	NO
NR-0415AMC	40	4	15'	7'-0"	YES
NR-0421AMC	56	4	21'	7'-0"	YES
NR-0427AMC	72	4	27'	7'-0"	YES
NR-0515AMC	50	5	15'	9'-5"	YES
NR-0521AMC	70	5	21'	9'-5"	YES
NR-0527AMC	90	5	27'	9'-5"	YES
NR-0815AMC	80	8	15'	15'-2"	YES
NR-0821AMC	112	8	21'	15'-2"	YES
NR-0827AMC	144	8	27'	15'-2"	YES
NR-1015AMC	100	10	15'	19'-5"	YES
NR-1021AMC	140	10	21'	19'-5"	YES
NR-1027AMC	180	10	27'	19'-5"	YES
NR-1515AMC	150	15	15'	29'-5"	YES
NR-1521AMC	210	15	21'	29'-5"	YES
NR-1527AMC	270	15	27'	29'-5"	YES



NOTE: Local codes and specifications will vary from region to region and will also change over time. It is the Buyer's responsibility to check local codes for compliance.

GTG Bleacher Series

Code-compliant bleacher seating for any spectator space

Standard Features

- » 4, 5, 8, 10 and 15 Row Units
- » 8" Rise/24" Tread
- » 10" Seat Plank
- » 17" Front Row Seat Height
- » Available in 21', 27' and 33' Lengths
- » Aluminum Frame
- » Double Footboards and Risers
- » Chain Link Guardrail
- » Aisle With Handrails

Optional Features

- » Galvanized Frame
- » ADA
- » Mud Sills (Wood Sleepers)
- » Towable (15', 21' and 24' Lengths)



Aluminum Frame Model	Seats	Rows	Length	Depth
GS-0421ADC-A	50	4	21'	7'-0"
GS-0427ADC-A	66	4	27'	7'-0"
GS-0433ADC-A	82	4	33'	7'-0"
GS-0521ADC-A	58	5	21'	9'-5"
GS-0527ADC-A	78	5	27'	9'-5"
GS-0533ADC-A	102	5	33'	9'-5"
GS-0821ADC-A	98	8	21'	15'-2"
GS-0827ADC-A	130	8	27'	15'-2"
GS-0833ADC-A	162	8	33'	15'-2"
GS-1021ADC-A	113	10	21'	19'-5"
GS-1027ADC-A	153	10	27'	19'-5"
GS-1033ADC-A	202	10	33'	19'-5"
GS-1521ADC-A	168	15	21'	29'-5"
GS-1527ADC-A	228	15	27'	29'-5"
GS-1533ADC-A	288	15	33'	29'-5"

NOTE: Local codes and specifications will vary from region to region and will also change over time. It is the Buyer's responsibility to check local codes for compliance.

Luxury Bleacher Series

High-end,code-compliant bleachers that offer extended comfort for your VIP spectators



Standard Features

- » 4 and 8 Row Units
- » 14" Rise/36" Tread
- » 12" Seat Plank
- » 17" Front Row Seat Height
- » Available in 19',25' and 31' Lengths
- » Aluminum Frame
- » Aluminum Vertical Picket Guardrail
- » Closed Deck With Sub Steps
- » 7" Backrest
- » Aisle
- » Powder coating available upon request



Available in standard powder coating colors
Red, green, blue, navy.

Aluminum Frame Model	Seats	Rows	Length	Depth
LT-0419ADVA	42	4	19'	11'-8"
LT-0425ADVA	54	4	25'	11'-8"
LT-0431ADVA	74	4	31'	11'-8"
LT-0819ADVA	84	8	19'	23'-8"
LT-0825ADVA	114	8	25'	23'-8"
LT-0831ADVA	146	8	31'	23'-8"




Elevated Bleacher Series

Enhancing your spectator sightlines for better views

Standard Features

- » 5, 8, 10, and 15 Row Units
- » 8" Rise/24" Tread
- » 10" Seat Plank
- » 17" Front Row Seat Height
- » Available in 21',27' and 33' Lengths
- » Aluminum Frame
- » Double Footboards and Risers
- » 30" Elevated Above Finished Grade
- » Chain Link Guardrail
- » Aisles with Handrail
- » Accessed via stairs



Optional Features

- » Galvanized Frame
- » Aluminum or Galvanized Vertical Picket Guardrail
- » ADA with ramps
- » Mud Sills (Wood Sleepers)



Aluminum Frame Model	Seats	Rows	Length	Depth
EL-0521ADC-A	58	5	21'	14'-6"
EL-0527ADC-A	78	5	27'	14'-6"
EL-0533ADC-A	98	5	33'	14'-6"
EL-0821ADC-A	91	8	21'	20'-6"
EL-0827ADC-A	123	8	27'	20'-6"
EL-0833ADC-A	155	8	33'	20'-6"
EL-1021ADC-A	113	10	21'	24'-6"
EL-1027ADC-A	153	10	27'	24'-6"
EL-1033ADC-A	193	10	33'	24'-6"
EL-1521ADC-A	168	15	21'	34'-6"
EL-1527ADC-A	228	15	27'	34'-6"
EL-1533ADC-A	288	15	33'	34'-6"

GTG Benches

Aluminum or steel Legs

All benches are available in 6', 7'-6", 8', 12', 15', 21' and 24'



Aluminum Benches are available with or without powder coated seats, backrests, and with multiple mounting options. We offer portable and permanent benches to meet any team or group need. Add your team colors with a protective powder coat to improve appearance or to reduce glare.

Model	Aluminum Legs
SPA	Portable bench w/o backrest
SPAD	Portable bench (DBL, wide) w/o backrest
TPA	Portable bench with backrest
DSA	Portable bench with backrest & shelf
SSA	Locker room bench w/o backrest
ST-STA	All aluminum scorer's table line

Model	Galvanized Steel Legs
SPG	Portable bench w/o backrest
SIG	Permanent bench w/o backrest
SSG	Surface mount bench w/o backrest
TIG	Permanent bench with backrest
TSG	Surface mount bench with backrest
TPG	Portable bench with backrest



TB-SPAxx



TB-SPADxx



TB-TIGxx



TB-SSGxx



ST-STA



TB-SSAxx



TB-SPGxx



TB-SIGxx



TB-TPAxx



TB-DSAxx



TB-TSGxx



TB-TPGxx

Picnic Tables

Aluminum or steel Legs

Optional Powder Coat Colors Red Green Blue Dark Blue



Picnic Tables are constructed with lightweight and maintenance-free aluminum. Tables are available with aluminum legs, standard duty steel legs, or heavy duty steel legs.

Model	Length	Description
PT-AP06	6'	All anodized aluminum
PT-AP08	8'	All anodized aluminum
PT-AP09HC	9'	All anodized aluminum (center accessible)
PT-AP08HC	8'	All anodized aluminum (accessible end)
PT-AP10HC	10'	All anodized aluminum (accessible end)

Model	Length	Description
PT-SG06	6'	Standard duty steel leg table
PT-SG08	8'	Standard duty steel leg table
PT-SG09HC	9'	Standard duty steel leg table (center accessible)
PT-SG08HC	8'	Standard duty steel leg table (accessible end)
FT-SG10HC	10'	Standard duty steel leg table (accessible end)

Model	Length	Description
PT-HG06	6'	Heavy duty steel leg table
PT-HG08	8'	Heavy duty steel leg table
PT-HG08HC	9'	Heavy duty steel leg table (center accessible)
PT-HG08HC	8'	Heavy duty steel leg table (accessible end)
PT-HG10HC	10'	Heavy duty steel leg table (accessible end)





MAKE A STAND

Choosing the right bleachers or grandstands is not always an easy task. Selecting the appropriate equipment to suit the specific needs of each facility is an important factor in providing comfort, appeal, and meaningful use.

For more information, playcore.com/programs/make-a-stand



We're In The Game...With You!

GT Grandstands understands the importance of a trusted agreement between customers and suppliers. We are committed to fabricating quality products and meeting project expectations.



813-756-6001



WWW.GTGRANDSTANDS.COM



SALES@GTGRANDSTANDS.COM



2810 SYDNEY ROAD
PLANT CITY, FL 33566

